Utah Division of Air Quality



Notice of Temporary Relocation of Portable Equipment

Form 15a

Contact Name					
2. Company Name					
Mailing Address					
city, state, zip					
phone					
_					
Proposed New Relocation Site:					
3. Site address and brief direct	ions to get to the site				
4. Closest City:	5 Cou	ıntv.			
·		•			
Approximate distances from Closest house/business National Park	center of plant locati	on to:			
National Park Other air pollution sources (a	which N	ational Park	from the plant as of today:		
			nts, and other construction sources)		
Distance to nearest proper	ty boundary				
7. Attach a site diagram to this form showing the dimensions, general pit location and the equipment location on site to scale (include locations of items filled out in 4. and 6.).					
Total hours of operation per starting at am/p	24 hour period		nm		
9. Maximum hourly production					
		40.1			
10.a. Expected Startup	Date:	10.b.	Expected Completion Date:		
			operate at the proposed site (attach a		
copy of the AO(s) to this for	orm): (e.g.,BAQE-XX	XX-XX or D	AQE-XXXX-XX)		

12. All equipment to be operated at the proposed site:

Equipment Type:	Equipment Type:
Make/Model	Make/Model
Serial or ID #	Serial or ID #
Manufactured Date	Manufactured Date
Design Capacity	Design Capacity
Equipment Type:	Equipment Type:
Make/Model	Make/Model
Serial or ID #	Serial or ID #
Manufactured Date	Manufactured Date
Design Capacity	Design Capacity
Equipment Type:	Equipment Type:
Make/Model	Make/Model
Serial or ID #	Serial or ID #
Manufactured Date	Manufactured Date
Design Capacity	Design Capacity
Equipment Type:	Equipment Type:
Make/Model	Make/Model
Serial or ID #	Serial or ID #
Manufactured Date	Manufactured Date
Design Capacity	Design Capacity
Equipment Type:	Equipment Type:
Make/Model	Make/Model
Serial or ID #	Serial or ID #
Manufactured Date	Manufactured Date
Design Capacity	Design Capacity

Equipment list will be used by Compliance Inspectors on site visits.

The kind of equipment to list: crushers, screens, generators, asphalt batch plants, and concrete batch plants, incinerators, etc. (Include any grandfathered* equipment).

Various associated support equipment such as conveyors, loaders, dozers, water pumps, water trucks, haul trucks, and service trucks do not need to be listed individually.

*Grandfathered equipment is that equipment which existed or operated in Utah prior to November 29, 1969, and did not require an Approval Order. Modifications made to the equipment, replacement of equipment, or relocation of equipment after November 29, 1969, invalidates the grandfathered status of the equipment, and such equipment will need to be approved (listed in a valide Approval Order) prior to relocation.

13. Previous site location for this equipment:

Operation dates at prior location: Sta	artup://_ Completion://_				
14. Previous (within the past 12 months from the proposed date of relocation) relocations to the same site for any equipment (including equipment listed in this form) owned by the same company: (A complete list is required: Attach additional sheets if necessary)					
Equipment S	Startup://_Completion://_				
Equipment S	Startup://_Completion://_				
14. Fugitive Dust Control Plan (FDCP) Instructions: All sources are required to control fugitive dust from the processes listed below. For processes covered in an Approval Order (AO), the source may be required to adopt additional control measures beyond that stated in the AO based on site-specific conditions. Fill in "N/A" if the process is not applicable to your temporary relocation. For proposal to operate the process under the controls stated in the AO, fill in the applicable "AO condition number". For proposal to operate the process under additional controls beyond that stated in the AO, fill in the applicable "AO condition number" and state additional fugitive dust control measures that are proposed. If the process listed is applicable but is not covered in the AO, state the proposed fugitive dust control measures (attach additional sheets as necessary). The Division of Air Quality (DAQ) may require the sources to modify the proposed FDCP prior to issuing the Temporary Relocation Approval (TRA) letter. The FDCP for each location must address the following, if applicable:					
Material storage					
2. Material handling					
3. Material Processing					
5. Loading and dumping materials					
6. Hauling materials					
7. Drilling, blasting, and pushing operations	S				
8. Clearing and leveling					
Earth moving and excavation					
10. Tailing piles and ponds					
11. Exposed surfaces					
12. Surface mining operations					
12. Owner/Operator Representative					
Signature					

<u>Instructions</u>

Notices of temporary relocations should be submitted at least two weeks in advance of the relocation of equipment. All temporary relocations will be restricted to a consecutive 180-day period of operation. All equipment that the source plans to relocate must be listed in a valid Approval Order from the Division of Air Quality (DAQ) prior to submitting this form. Please attach a copy of the relevant Approval Order(s), which approves the equipment in item 10. of this form. Call the DAQ at (801) 536-4000 if you have problems or questions when completing this form. We will be glad to help.

For Sources that have Consolidated Generic Approval Order

(To obtain a Consolidated Generic Approval Order, Contact the NSR Section at (801) 536-4000

Enhanced Emissions Control Measures (EECMs): Enhanced control measures are those emission control measures that the source may be required to adopt during temporary relocation to a site. DAQ may require the source to adopt EECMs while operating in certain locations where particulate emissions are of more concern (e.g., Salt Lake, Utah, and Weber Counties, which are non-attainment areas for PM₁₀). The source may volunteer to adopt EECMs

in order to operate at capacities higher than the maximum capacity that would be allowed under the "base" emissions controls required in the Approval Order and the generic modeling performed by DAQ. Some options for EECMs are provided below. The source is welcome to contact an engineer at the New Source Review Section, DAQ, to discuss further options (attach additional sheets for other EECMs if necessary).

Haul Roads (circle options 1 or 2 and/or 3) (The minimum control required in the Approval Order as BACT is 80%, which requires application of water sprays to ensure damp/moist condition and 15 mph posted speed limit)

- 85% efficiency by application of water sprays to ensure damp/moist condition and 10 mph posted speed limit
- 90% by application of water sprays on coarse aggregate spread on the haul road to ensure damp/moist condition, and 10 mph posted speed limit 2.
- 3. Reducing the length unpaved haul road from a maximum of 0.25 miles (each way); Proposed unpaved haul road length (less than 0.25 miles):

Open Areas (check if this option is proposed)
_____ 50 % reduction in particulate emissions from open areas for coat of aggregate

Pre-wetting of aggregates at least 12 hours prior to hauling to the plant (check if this option is proposed)

20% reduction in total particulate emissions from the plant

Other Innovative Emission Reduction Strategies

- Berming of at least 180 degrees of the area surrounding the pit for a height atleast equal to the height of the highest transfer point shall be considered as 15% reduction in total particulate emissions from the plant
- Trees surrounding the pit: Particulate emissions credit given on a case-by-case basis
- Other options (describe control strategy and anticipated reduction in emissions)

12. Owner/Operator Representative			
Signature	Date		